

COMPLETE FRAMES 16 GAUGE MASONRY UN-EQUAL RABBET

S I N G L E	WIDTH	HEIGHT	DEPTH					
	2'0", 2'4"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
	7'0"							
2'6", 2'8"	7'2"							
	8'0"							
2'10", 3'0"	8'1" - 10'0"							
F R A M E S	3'4", 3'6"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	3'8", 3'10"	7'2"						
		8'0"						
4'0"	8'1" - 10'0"							
D O U B L E	4'0", 4'8"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	5'0", 5'4"	7'2"						
		8'0"						
5'8", 6'0"	8'1" - 10'0"							
F R A M E S	6'8", 7'0"	6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
		7'0"						
	7'4", 7'8"	7'2"						
		8'0"						
8'0"	8'1" - 10'0"							

16 GAUGE COLD ROLLED FRAMES COMPONENTS

HINGE JAMBS	DEPTH					
6'8"	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
7'0"						
7'2"						
8'0"						
8'1" - 10'0"						
STRIKE JAMBS	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
6'8"						
7'0"						
7'2"						
8'0"						
8'1" - 10'0"						
SINGLE HEAD	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
2'0" - 3'0"						
3'1" - 4'0"						
PAIR HEAD	4.25"-5.75"	5.875"-6.75"	6.875"-7.75"	7.875"-8.75"	8.875"-9.75"	9.875"-13.00"
4'0" - 6'0"						
6'1" - 8'0"						

In stock depths: 4.75", 5.75", 6.25", 6.75", 7.125", 7.25", 7.75", 8.25", 8.75", 9.25", 9.75", 10.25" and 10.75"

- Other Jamb depths are available with lead time. Consult factory. Fire label WHI 3HR Positive Pressure, **(S)** smoke label.
- Masonry frames are prepared for ASA strike.
- Includes anchors. Please specify type. ANCHORS: **WS** = Wood Stud, **SS** = Steel Stud, **MA** = Masonry Wire



16 GAUGE STOCK MASONRY FRAMES UNEQUAL RABBET

- Other jamb depths available. Consult Factory. Fire label WHI 3HR listed. **S** Smoke label.
- Masonry frames are prepared for ASA strike.

- Includes anchors. Please specify type. ANCHORS:

WS = Wood Stud SS = Steel Stud MA = Masonry Wire

Hand	Item	Size	Depth	Type/Ga.		
RH	4000	3068	4.75"	16		
LH	4001					
RH	4002	3070				
LH	4003					
RH	4004	3080				
LH	4005					
RH	4076	2068	5.75"	16		
LH	4077					
RH	4078	2070				
LH	4079					
RH	4080	2080				
LH	4081					
RH	4082	2668				
LH	4083					
RH	4084	2670				
LH	4085					
RH	4086	2868				
LH	4087					
RH	4088	2870				
LH	4089					
RH	4090	2880				
LH	4091					
RH	4092	2680				
LH	4093					
RH	4094	21068				
LH	4095					
RH	4096	21070				
LH	4097					
RH	4098	21080				
LH	4099					
RH	4100	3068				
LH	4101					
RH	4104	3070				
LH	4105					
RH	4126	4068				
LH	4127					
RH	4128	4070				
LH	4129					
RH	4130	4080				
LH	4131					
RH	4108	3068			5.75"	*16G Galvanized
LH	4109					
RH	4124	3668				
LH	4125					
RH	4112	3070				
LH	4113					
RH	4122	3670				
LH	4123					
RH	4116	3080				
LH	4117					
RH	4120	3680				
LH	4121					

Hand	Item	Size	Depth	Type/Ga.
RH	4118	4080	5.75"	*16G Galvanized
LH	4119			
RH	4132	3072		
LH	4133			
RH	4134	4072		
LH	4135			
RH	4400	2068	6.25"	16
LH	4401			
RH	4403	2070		
LH	4404			
RH	4490	2080		
LH	4491			
RH	4406	2468		
LH	4407			
RH	4409	2470		
LH	4410			
RH	4488	2480		
LH	4489			
RH	4412	2668		
LH	4413			
RH	4415	2670		
LH	4416			
RH	4486	2680		
LH	4487			
RH	4418	2868		
LH	4419			
RH	4421	2870		
LH	4422			
RH	4484	2880		
LH	4485			
RH	4424	21068		
LH	4425			
RH	4427	21070		
LH	4428			
RH	4482	21080		
LH	4483			
RH	4430	3068		
LH	4431			
RH	4433	3070		
LH	4434			
RH	4480	3080		
LH	4481			
RH	4436	3668		
LH	4437			
RH	4439	3670		
LH	4440			
RH	4478	3680		
LH	4479			
RH	4442	4068		
LH	4443			
RH	4445	4070		
LH	4446			
RH	4476	4080		
LH	4477			



4000 Series Masonry Frames (Continued)

June 2013

Hand	Item	Size	Depth	Type/Ga.		
RH	4600	2068	6.75"	16		
LH	4601					
RH	4603	2070				
LH	4604					
RH	4648	2080				
LH	4647					
RH	4606	2468				
LH	4607					
RH	4609	2470				
LH	4610					
RH	4650	2480				
LH	4649					
RH	4612	2668				
LH	4613					
RH	4615	2670				
LH	4616					
RH	4652	2680				
LH	4651					
RH	4618	2868				
LH	4619					
RH	4621	2870				
LH	4622					
RH	4654	2880				
LH	4653					
RH	4624	21068				
LH	4625					
RH	4627	21070				
LH	4628					
RH	4656	21080				
LH	4655					
RH	4630	3068				
LH	4631					
RH	4633	3070				
LH	4634					
RH	4658	3080				
LH	4657					
RH	4636	3668				
LH	4637					
RH	4639	3670				
LH	4640					
RH	4660	3680				
LH	4659					
RH	4642	4068				
LH	4643					
RH	4645	4070				
LH	4646					
RH	4662	4080				
LH	4661					
RH	4700	2068	7.125"	16		
LH	4701					
RH	4703	2070				
LH	4704					
RH	4748	2080				
LH	4747					
RH	4706	2468				
LH	4707					
Hand	Item	Size			Depth	Type/Ga.

RH	4709	2470	7.125"	16		
LH	4710					
RH	4750	2480				
LH	4749					
RH	4712	2668				
LH	4713					
RH	4715	2670				
LH	4716					
RH	4752	2680				
LH	4251					
RH	4718	2868				
LH	4719					
RH	4721	2870				
LH	4722					
RH	4754	2880				
LH	4753					
RH	4724	21068				
LH	4725					
RH	4727	21070				
LH	4728					
RH	4756	21080				
LH	4755					
RH	4730	3068				
LH	4731					
RH	4733	3070				
LH	4734					
RH	4758	3080				
LH	4757					
RH	4736	3668				
LH	4737					
RH	4739	3670				
LH	4740					
RH	4760	3680				
LH	4759					
RH	4742	4068				
LH	4743					
RH	4745	4070				
LH	4746					
RH	4762	4080				
LH	4761					
RH	4201	3068			7.25"	16
LH	4202					
RH	4203	3070				
LH	4204					
RH	4205	3080				
LH	4206					
RH	4207	4068				
LH	4208					
RH	4209	4070				
LH	4210					
RH	4211	4080				
LH	4212					
RH	4220	3068	7.75"	*16G Galvanized		
LH	4221					
RH	4232	3668				
LH	4233					



4G DOORS FRAMES and HARDWARE


31147 Plymouth Rd. Livonia, MI 48150 734-883-7468 sales@4gdoors.com www.4gdoors.com

Hand	Item	Size	Depth	Type /Ga.				
RH	4224	3070	7.75"	*16G Galvanized				
LH	4225							
RH	4234	3670						
LH	4235							
RH	4228	3080						
LH	4229							
RH	4236	3680						
LH	4237							
RH	4230	4080						
LH	4231							
RH	4340	3068			8.25"	*16G Galvanized		
LH	4341							
RH	4352	3668						
LH	4353							
RH	4344	3070						
LH	4345							
RH	4354	3670						
LH	4355							
RH	4348	3080						
LH	4349							
RH	4356	3680						
LH	4357							
RH	4350	4080						
LH	4351							
RH	4800	3068	8.75"	16				
LH	4801							
RH	4803	3070						
LH	4804							
RH	4806	4068						
LH	4807							
RH	4809	4070						
LH	4810							
RH	4816	3068					9.25"	16
LH	4817							
RH	4818	3070						
LH	4819							
RH	4820	3080						
LH	4821							
RH	4822	4068						
LH	4823							
RH	4824	4070						
LH	4825							
RH	4826	4080						
LH	4827							
RH	4880	3068	9.75"	16				
LH	4881							
RH	4882	3070						
LH	4883							
RH	4884	3080						
LH	4885							
RH	4886	4068						
LH	4887							
RH	4888	4070						
LH	4889							
RH	4890	4080						
RH	4891							

Hand	Item	Size	Depth	Type /Ga.
RH	4892	3070	10.25	*16G
LH	4893			
RH	4894			
LH	4895			

COMPONENT HEADS

Item #	Description	Depth	Length
57530H4	4" Face head	5.75"	36"
*G57530H4	4" Face head *Galvanized	5.75"	36"
57540H4	4" Face head	5.75"	48"
*G57540H4	4" Face head *Galvanized	5.75"	48"
57560H4	4" Face head	5.75"	72"
*G57560H4	4" Face head *Galvanized	5.75"	72"

- Other jamb depths available. Consult Factory.
Fire label WHI 3HR listed.  Smoke label.
- Masonry frames are prepared for ASA strike.
- Includes anchors. Please specify type.

ANCHORS:

WS = Wood Stud

SS = Steel Stud

MA = Masonry Wire Anchors



16 GAUGE

STOCK MASONRY FRAMES, UNEQUAL RABBET
90 Minutes WHI Positive Pressure, (S) Smoke Label

FOR CURRIES, DEAN STEEL / MESKER & PIONEER LOCATIONS



- Other jamb depths available. Consult factory
- Fire label WHI 3HR Listed. (S) Smoke Label
- Masonry frames are prepared for ASA strike

HAND	ITEM	SIZE	DEPTH	TYPE/GA.
CURRIES				
RH	CU4100	3068	5.75"	16
LH	CU4101			
RH	CU4104	3070		
LH	CU4105			

DEAN STEEL / MESKER				
RH	DE/ME4100	3068	5.75"	16
LH	DE/ME4101			
RH	DE/ME4104	3070		
LH	DE/ME4105			

PIONEER				
RH	PI4100	3068	5.75"	16
LH	PI4101			
RH	PI4104	3070		
LH	PI4105			

